

LANTHANUM CARBONATE (FOSRENOL[®]) AND SEVELAMER HCL (RENAGEL[®]) APPLICATION



PLEASE MAKE SURE THIS FORM IS CO-SIGNED BEFORE FAXING TO THE PHARMACY (WITH PRESCRIPTION).

Health Authority:		Name:			
Dialysis Modality: <input type="checkbox"/> Centre HD <input type="checkbox"/> Community HD <input type="checkbox"/> Home HD <input type="checkbox"/> CAPD <input type="checkbox"/> CCPD					
Patient has shown reasonable adherence with other phosphate binder and diet therapy: <input type="checkbox"/> yes <input type="checkbox"/> no Patient has been trialed on calcium acetate to reduce hypercalcemia: <input type="checkbox"/> yes <input type="checkbox"/> no Patient is on a 1.25 calcium dialysate: <input type="checkbox"/> yes <input type="checkbox"/> no--If not, enter calcium bath concentration _____ <input type="checkbox"/> N/A (PD patient) Vitamin D analogue dose has been reduced to reduce hypercalcemia: <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> not applicable					
Most Recent Serum Chemistry: Record minimum of 2 consecutive values					
Date	Total Calcium	Corrected Ca ⁺⁺ <small>When hypercalcemia identified by corrected calcium alone, IONIZED CALCIUM is required for verification</small>	Ionized Ca ⁺⁺ <small>if available or if required to verify hypercalcemia</small>	PO ₄	iPTH
Present PO₄ Binder(s) Note: May attach current medications list instead					
Agent			Dose		
Agent			Dose		
Vitamin D Analogue Note: May attach current medications list instead					
Agent			Dose		

Cost per tablet of non-calcium phosphate binders:

Lanthanum	250mg	\$1.249
	500mg	\$2.498
	750mg	\$3.759
	1000mg	\$4.984
Sevelamer	800 mg	\$1.774

Annual cost of calcium-based phosphate binders:

Calcium carbonate (TUMS regular) 3 tabs PO TID:	\$116.30
Calcium acetate (BC Generic) 2 tabs (1334mg) PO TID:	\$408.20

Note: Community pharmacist must not fill lanthanum or sevelamer prescriptions without two signatures below.
 (New prescription for 30 days with two refills of 60 days each allowed. Total days supply =150)

If lanthanum or sevelamer is to be used in a CKD non-dialysis patient, I have recognized and have disclosed to the patient this non-Health Canada approved use.

Signature: _____
 Renal Dietitian
 (reasonable diet adherence)

 Nephrologist or Renal Clinical Pharmacist
 (reasonable medication adherence)

Print Name: _____
 Renal Dietitian
 (reasonable diet adherence)

 Nephrologist or Renal Clinical Pharmacist
 (reasonable medication adherence)