

BC RENAL FORMULARY FOR ADULT PATIENTS WITH eGFR UNDER 15mL/min (NOT ON DIALYSIS)

The following medications are funded for non-dialysis patients. All formulary medications are oral products and generic formulations unless otherwise indicated.

ACIDOSIS

[Sodium bicarbonate](#)

ANEMIA

Erythropoiesis-stimulating agents

[Darbepoetin alfa \(Aranesp[®]\)](#) [restricted]*Δ

[Epoetin alfa \(Eprex[®]\)](#) [restricted]*Δ

Iron Bivalent

[Ferrous fumarate, gluconate & sulfate](#)

[Iron gluconate \(Ferlecit[®]\)](#) Δ

[Iron sucrose \(Venofer[®]\)](#) Δ

Ferric Derisomaltose (Monoferric[®]) Δ

GASTROINTESTINAL DISORDERS

Laxatives

[Docusate](#)

[Sennosides](#)

[Lactulose](#)

[PEG 3350 without electrolytes](#)

[PEG 3350 with electrolytes](#) ❖

Upper Gastrointestinal Tract Agents

[Domperidone](#)

[Metoclopramide](#)

Nausea and Vomiting Related to CKD

[Haloperidol](#)

[Methotrimeprazine](#)

HYPERKALEMIA

Exchange Resins

[Sodium polystyrene sulfonate](#)

[Calcium polystyrene sulfonate](#)

MINERAL METABOLISM

[Aluminum hydroxide](#)

[Calcium acetate](#)

[Calcium carbonate](#) (not Calsan[®] brand)

[Calcium liquid](#)

[Lanthanum](#) [restricted]***

[Sevelamer carbonate](#) [restricted]***

Vitamin D

[Alfacalcidol](#)

[Calcitriol](#) (oral only)

NEUROMUSCULAR DISORDERS

Leg Cramps

[Vitamin E](#)

Neuropathic Pain

[Desipramine](#)

[Nortriptyline](#)

[Gabapentin](#)

Restless Leg Syndrome

[Levodopa/carbidopa](#)

[Ropinirole](#)

NUTRITIONAL DISORDERS

[Replavite / Renavite](#)

PRURITUS

Antihistamines

[Diphenhydramine](#)

[Hydroxyzine](#)

Topicals

[Galaxal base](#)

[BC Renal Cream](#)

For PEDIATRIC patients (< 18 years old): all formulary medications are available to BC Renal-registered pediatric patients (pre-dialysis and dialysis patients). Any compounded formulations, or commercially available liquid forms of formulary medication will also be funded for pediatric patients.

Δ Injectable medication.

* Needs approval through PROMIS.

*** An application form for lanthanum or sevelamer carbonate is required. Sevelamer carbonate represents significant cost savings compared to lanthanum.

❖ Restricted coverage for peritoneal dialysis bowel preparation.